



**POLYCAB INDIA LIMITED**

LDC LP No. 01/2019-20 Dtd : 25th May 2019

**List of Products Covered in Our LDC LP**

**Coaxial Cables**

**Lan Cables**

**Telephone Switchboard Cables**

**Telephone Dry Armoured Cables**

**Submersible Cables**

**Single Core Flexible Cables**

**Multicore Flexible Cables**

**Single Core XLPE Unarmoured/Armoured Cables**

**CCTV Cables**

**Fire Alarm Cables**

**Solar Cables**

**BMS Cables**

**Braided Cables**

**Steel Braided Cables**

**Speaker Cables**

**Welding Cables**

**Aluminium Service Wires**

**Instrumentation Cables**

**Rubber Cables**

**JFTC Unarmoured/Armoured Cables**

**RS 485 Cables**

**Fire Survival Cables**

**Festoon Cables**

**Uninyvin Cables**

**Optical Fibre Cables**

**FS Aluminium Cables**

**POLYCAB INDIA LIMITED**

LDC LP No. 01/2019-20 Dtd : 25th May 2019

**POLYCAB INDUSTRIAL JELLY FLOODED COAXIAL CABLES**

Polycab Gas Injected Physical Polyethylene Foam Insulation with Laminated Aluminium Tape and Aluminium Wire Braid, Jelly Flooded PVC Black Jacketed Industrial Coaxial Cables.

Size	100m Unarmoured	305m Unarmoured	1000m Flexible Armoured
RG - 59	1775	5415	77000
RG - 6	2245	6850	84000
RG - 11	4925	15015	119000
RG-6 CCS	1600	4890	74000
RG-11 CCS	3295	10050	109000

**POLYCAB LAN (COMPUTER) CABLES**

Polycab 4 Pair <u>Unshielded</u> Twisted Pair (UTP) LAN (Computer) Cables			Polycab 4 Pair <u>Shielded</u> Twisted Pair (STP) LAN (Computer) Cables	
	Unarmoured - Rate per 305 m	Flexible Armoured- Rate per 1000m	Unarmoured - Rate per 305 m	Flexible Armoured- Rate per 1000m
CAT 5 E	8045	85500	9950	97500
CAT 6	8785	96500	11180	106500



**POLYCAB INDIA LIMITED**

LDC LP No. 01/2019-20 Dtd : 25th May 2019

POLYCAB INDUSTRIAL TELEPHONE (SWITCHBOARD) CABLES						POLYCAB IND. 3C FLAT SUBMERSIBLE CABLES	
<p>Polycab High Conductivity Solid Annealed Bare Copper industrial Telephone (Switchboard) Cables with High Density Polyethylene Insulation, Paired, Polyester and Sheathed with High Oxygen Index, Fire Retardant, PVC Compound, Grey Outer Sheath generally conforming ITD Specification</p>						<p>Polycab PVC Insulated and PVC Sheathed Industrial 3 Core Flat Submersible Cable with Bare Bunched Copper Conductor for Submersible Pump Motors with Voltage Grade 1100 Volts as per IS:694/2010</p>	
No. of Pairs & Size	Rate / 100 Mtr. (Rs.)		Rate / 90 Mtr (Rs.)		Master Packing	Nominal Area of Conductor (sq mm)	Rate per 100m (Rs)
	0.4 mm	0.5 mm	0.4 mm	0.5 mm			
1 Pair	620	755	558	680	20	1.5	6600
2 Pair	1060	1300	955	1170	20	2.5	10700
3 Pair	1425	1925	1280	1735	16	4	15500
4 Pair	1750	2515	1575	2265	12	<p>Polycab Special PVC Insulated &amp; PVC Sheathed Industrial 3 Core Flat Submersible Cables with Bare Bunched Copper Conductor for Submersible Pump Motors with Voltage Grade 1100 Volts generally conforming to IS 694/2010</p>	
5 Pair	2190	3150	1975	2830	8	Nominal Area of Conductor (sq mm)	Rate per 100m (Rs)
10 Pair		6010		5410	1	6	24100
20 Pair		11900		10700	1	10	41100
50 Pair		33500			1	16	67800
100 Pair		64300			1	25	108300
<b>ARMoured TELEPHONE CABLES</b>						35	151800
No. of Pairs	Rate / 100m (0.5mm)				Master Packing	50	217400
						70	302700
2 Pair	6600				95	390800	
5 Pair	10300				120	499600	
10 Pair	15100				150	622400	
20 Pair	19200				<b>Notes :</b>		
50 Pair	45200				2) Polycab Three Core Flat Submersible Cables		
100 Pair	89400				Insulated & Sheathed with XLPE can be supplied at the same rates as given above.		



**POLYCAB INDIA LIMITED**

LDC LP No. 01/2019-20 Dtd : 25th May 2019

**Polycab FR Insulated Single Core Unsheathed Industrial Flexible Cable conforming to IS 694:2010 with Flexible Bright Annealed Copper Conductor for Voltage Grade 1100 Volts**

**Polycab PVC Insulated and PVC Round Sheathed Multi Core Bright Annealed Bare Copper Conductor Heavy Duty Industrial Cables for Voltage Grade 1100 Volts as per IS: 694:2010**

Nominal Area of Conductor (sq mm)	Number/ Nom. Dia of Conductor (No./dia mm)	Current Carrying Capacity (Amps)	(Rate/100m)		(Rate/100m)					
			Single Core	Packing	2 Core	3 Core	4 Core	2 - 4 Core Packing	5 Core	6 Core
0.5	16/.2	5	670	25	1975	2645	3400	4	4405	5260
0.75	24/.2	8	950	25	2630	3570	4445	4	6155	7535
1	32/.2	13	1235	20	3200	4370	5610	4	8115	9500
1.5	30/.25	17	1775	16	4285	5970	7850	4	10800	13100
2.5	50/.25	24	2905	12	6880	9640	12500	3	17600	21000
4	56/.3	30	4510	8	10500	14700	19400		26900	33700
6	84/.3	38	6555	6	14800	21600	28100		41200	49600
10	80/.4	52	11300	1	26000	37500	48700		70500	
16	126/.4	70	18100	1	42200	60800	80200		112200	
25	196/.4	88	29400	1	80800	110100	144600		188200	
35	276/.4	110	40300	1	110700	152600	200200		260200	
50	396/.4	145	57500	1	160100	217400	290700		376800	
70	354/.5	215	79900	1	228200	312500	406000		525700	
95	484/.5	260	110100	1	308000	428200	565300		725600	
120	608/.5	305	140500	1	389600	543400	728900		942200	
150	750/.5	355	175800	1	486600	674800	891100		1154000	
185	925/.5	415	218600	1	599800	819700	1086700		1408400	
240	1210/.5	500	281500	1	778500	1081800	1429800		1855800	
300	1527/.5	585	354800	1	972800	1348900	1788300		2307800	
400	2036/.5	695	477700	1	1297200	1776200	2354100		3061500	



**POLYCAB INDIA LIMITED**

LDC LP No. 01/2019-20 Dtd : 25th May 2019

**Polycab PVC Insulated, PVC Round Sheathed Multi Core Industrial Flexible Cable conforming to IS 694:2010 with Flexible Bright Annealed Copper Conductor for Voltage Grade 1100 Volts**

Nominal Area of Conductor (sq mm)	Number/ Nom. Dia of Conductor (No./dia mm)	Current Carrying Capacity (Amps)	Rate Per 100 Mtrs. Coil			
			7 Core	8 Core	10 Core	12 Core
0.5	16/.2	5	6000	7100	8700	10400
0.75	24/.2	8	8100	10100	12100	14500
1	32/.2	13	10900	12600	15300	18200
1.5	30/.25	17	14600	17300	21200	25500
2.5	50/.25	24	23900	27800	34600	41200
4	56/.3	30	43600	49800	63100	77400
6	84/0.3	37	57800			

  

Nominal Area of Conductor (sq mm)	Number/ Nom. Dia of Conductor (No./dia mm)	Current Carrying Capacity (Amps)	Rate Per 100 Mtrs. Coil			
			14 Core	16 Core	19 Core	24 Core
0.5	16/.2	5	12000	13500	15700	20200
0.75	24/.2	8	16800	19200	22600	28500
1	32/.2	13	21400	24300	29100	36600
1.5	30/.25	17	29600	33300	39600	49900
2.5	50/.25	24	47900	54900	64200	80500

Polycab Multi Strand Bare Copper conductor XLPE insulated PVC Sheathed Cables					CCTV Cables (Rate/90m)	
Nominal Area	No/Dia of Strands	Current rating in Air at 40°C	Cu Conductor Unarmoured Cables	Cu Conductor Aluminium Armouring Cables	CCTV Cables 4+1	CCTV Cables 3+1
mm <sup>2</sup>	No/mm		Rs/100 Mtr.	Rs/100 Mtr.	3620	3290
6	84/0.3	55	8600	11800	CCTV Armoured Cables (Rate/Km.)	
10	80/0.4	75	14400	20100	CCTV 4+1 Armoured	105000
16	126/0.4	103	21400	25100	Fire Alarm System Arm Cables (Rate/Mtr.)	
25	196/0.4	126	34000	38500		
35	276/0.4	152	46500	51600	2 c x 1 Sq.mm. (Red)	90
50	396/0.4	189	65000	71800	2 c x 1.5 Sq.mm. (Red)	104
70	354/0.5	240	89700	98700		
95	484/0.5	297	121300	126700		
120	608/0.5	346	153600	160300		
150	750/0.5	390	191900	200400		
185	925/0.5	460	234100	241400		
240	1210/0.5	552	304100	318500		
300	1527/0.5	640	379200	400600		
400	2036/0.5	753	505800	530900		



**POLYCAB INDIA LIMITED**

**LDC LP No. 01/2019-20 Dtd : 25th May 2019**

**Polycab FRLS Insulated Single Core Unsheathed Industrial Flexible Cable conforming to IS 694:2010 with Flexible Bright Annealed Copper Conductor for Voltage Grade 1100 Volts**

**Polycab PVC Insulated and FRLS Round Sheathed Multi Core Bright Annealed Bare Copper Conductor Heavy Duty Industrial Cables for Voltage Grade 1100 Volts as per IS: 694:2010**

Nominal Area of Conductor (sq mm)	Number/ Nom. Dia of Conductor (No./dia mm)	Current Carrying Capacity (Amps)	Single Core (Rate/100m)	(Rate/100m)		
				Two Core	Three Core	Four Core
0.5	16/.2	5	720	2100	2920	3720
0.75	24/.2	8	1005	2830	3910	5065
1	32/.2	13	1305	3475	4835	6315
1.5	30/.25	17	1870	4605	6460	8705
2.5	50/.25	24	3105	7380	10500	13700
4	56/.3	30	4870	11300	16400	21400
6	84/.3	38	6900	16800	23700	31500
10	80/.4	52	12000	28200	41100	54200
16	126/.4	70	19500	46100	66600	88000
25	196/.4	88	30900	88900	122900	161400
35	276/.4	110	42900	120900	170200	223000
50	396/.4	145	61000	175400	241800	324100
70	354/.5	215	84800	249700	348000	452600
95	484/.5	260	117000	338500	470900	621800
120	608/.5	305	149300	428700	597600	801600
150	750/.5	355	186600	534800	742200	980300
185	925/.5	415	232300	659800	901800	1195400
240	1210/.5	500	298400	856300	1190100	1572600
300	1527/.5	585	376800	1070200	1483800	1967300
400	2036/.5	695	507100	1426900	1953800	2589400





**POLYCAB INDIA LIMITED**

LDC LP No. 01/2019-20 Dtd : 25th May 2019

**POLYCAB INDUSTRIAL BRAIDED CABLES**

**Polycab Annealed Bare Cu Flexible Conductor PVC Insulated, Tinned Cu Braided (Screened) PVC Sheathed Flexible Unarmoured Cables 1100 Volts. (Rate per 100 Mtr)**

Cores	0.5 sq.mm (16/.2)	0.75 sq.mm (24/.2)	1.0 sq.mm (32/.2)	1.5 sq.mm (30/.25)	2.5 sq.mm (50/.25)	4 sq.mm. (56/.3)	6 sq mm (84/.3)	10 sq.mm	16 sq.mm	25 sq mm	35 sq.mm.	50 sq.mm.
2	6400	7500	8300	10600	15500	22500	31300	60500	100800			
3	7500	9000	9600	13500	19200	29700	36400	75900	118700	160000	221900	290300
4	9000	11000	12400	16900	26000	36400	52900	108400	173300	231900	294000	418100
5	10700	14800	16700	20800	30100							
6	12400	16100	18200	24100	36100							
7	13300	17500	19500	25900	41700							
8	15800	20500	23000	29600	47200							
10	19000	25000	29500	37300	55000							
12	21400	28200	34800	43700	61200							
14	23600	32000	40000	51200	71100							
16	27300	35400	50800	56200	81900							
19	31000	41500	56000	66800	112400							
24	38700	49400	61600	82400	137000							



**POLYCAB INDIA LIMITED**

LDC LP No. 01/2019-20 Dtd : 25th May 2019

**POLYCAB MULTICORE STEEL BRAIDED CABLES (Rate / 100 M)**

Flex Bare Copper Conductor,PVC Insulated, Cores Laid Up Together PVC Inner Sheathed, GI Wire Braided (Flexible Armouring), Overall PVC Sheathed Steel Braided Cables.

Nominal Area of Conductor (sq mm)	Number/ Nom. Dia of Conductor (No./dia mm)	2 Core	3 Core	4 Core	Core	1.5 sq.mm (30/.25)	2.5 sq.mm (50/.25)
0.5	16/.2	5800	7000	8300	5	17600	26900
0.75	24/.2	7000	8700	10500	6	20200	31400
1	32/.2	8100	10300	12600	7	22500	35200
1.5	30/.25	9500	12600	16200	8	25700	40300
2.5	50/.25	14100	19000	24100	10	31400	49900
4	56/.3	20500	27300	35700	12	36700	58600
6	84/.3	28700	39200	50400	14	42300	67200
10	80/.4	42200	58500	77700	16	47700	76400
16	126/.4	63800	89300	117200	19	55800	89300
25	196/.4	96300	137000	180800	21	61500	98600
35	276/.4	132500	188200	247900	24	69900	112300
50	396/.4	185900	266300	352000			
70	354/.5	279600	402200	533200			
95	484/.5	376800	543500	722300			
120	608/.5	469300	678400	901300			
150	750/.5	585600	847200	1124800			
185	925/.5	728700	1044300	1385300			
240	1210/.5	932100	1352000	1796800			
300	1527/.5	1162900	1688500	2246000			

Note : 3% Extra Charges for Drum Packing

**POLYCAB INDUSTRIAL SPEAKER WIRES**

**Speaker Wires (Oxygen Free) (Rate per 90 mtr)**

Size	Price Per 90 Mtr.	Size	Price Per 90 Mtr.	Size	Price Per 90 Mtr.	Size	Price Per 90 Mtr.
23/36	1710	23/38	1205	0.5 Sq.mm	1645	1.5 Sq.mm	4320
40/36	2690	40/38	2010	0.75 Sq.mm	2360	2 Sq.mm	6045
70/36	4705	70/38	3155	1 Sq.mm	2980	2.5 Sq.mm	7060

\*\* Flame Retardant, Heat Resistant up to 90°C & Oil Resistant

**POLYCAB INDUSTRIAL WELDING CABLES**

**Polycab Flexible Copper Conductor 1100 Volts Welding Cable**

Nominal Area of Conductor (sq mm)	Current Carrying Capacity	Conductor Constn. Strands/ Dia in mm	HOFR Insulation Rate/100m (Rs)
16	120	509/0.2	25000
25	160	796/0.2	35900
35	230	1115/0.2	48800
50	400	703/0.3	69100
70	600	999/0.3	98500
95	700	1346/0.3	130100
120	1100	1699/0.3	166600



**POLYCAB INDIA LIMITED**

LDC LP No. 01/2019-20 Dtd : 25th May 2019

**POLYCAB ALUMINIUM WIRES & CABLES**

POLYCAB <u>SINGLE CORE</u> PVC INSULATED 1100 VOLTS <u>SOLID ALUMINIUM</u> CONDUCTOR WIRES AS PER IS 694		POLYCAB <u>SINGLE CORE</u> PVC INSULATED 1100 VOLTS <u>STRANDED ALUMINIUM</u> CONDUCTOR WIRES AS PER IS 694		POLYCAB PVC INSULATED AND SHEATHED <u>TWIN CORE &amp; THREE CORE</u> FLAT CABLES 1100 VOLTS EACH CORE HAVING SINGLE <u>STRANDED ALUMINIUM</u> CONDUCTOR SERVICE CABLES AS PER IS 694		
SQ.MM	RATE/ 100M	SQ.MM	RATE/ 100M	NO.OF CORES	SQ.MM	RATE/ 100M
1.5	435	1.5	445	2	1.5	1610
2.5	670	2.5	680	2	2.5	2280
4	880	4	920	2	4	3220
6	1340	6	1380	2	6	4210
10	1990	10	2070	2	10	6530
POLYCAB <u>SINGLE CORE</u> PVC INSULATED & <u>SHEATHED</u> 1100 VOLTS <u>STRANDED</u> ALUMINIUM CONDUCTOR WIRES AS PER IS 694		16	2980	2	16	8650
		25	4635	2	25	12300
		35	6250	2	35	15700
		50	8400	2	50	19900
SQ.MM	RATE/ 100M	70	11200	2	70	19900
1.5	660	95	13100	3	1.5	2200
2.5	815	120	19000	3	2.5	3300
4	1550	150	23600	3	4	4500
6	2110	185	29300	3	6	6400
10	2890	240	38100	3	10	9300
16	4110	300	47500	3	16	12700
25	5985	400	61000	3	25	17700
35	7630	500	77600	3	35	23100
50	10100	630	98300	3	50	29300
POLYCAB PVC INSULATED AND SHEATHED <u>TWIN CORE &amp; THREE CORE</u> FLAT CABLES 1100 VOLTS EACH CORE HAVING SINGLE <u>SOLID ALUMINIUM</u> CONDUCTOR SERVICE CABLES AS PER IS 694				POLYCAB <u>XLPE</u> INSULATED AND <u>PVC</u> SHEATHED CABLE WITH EACH CORE HAVING <u>STRANDED ALUMINIUM</u> CONDUCTOR SERVICE CABLES GENERALLY CONFORMING TO IS 694.		
NO.OF CORES	SQ.MM		RATE/ 100M	NO.OF CORES	SQ.MM	RATE/100M
2	1.5		1495	2	4	2980
2	2.5		2185	2	6	4230
2	4		2980	2	10	5255
2	6		4135	2	16	7655
2	10		6350			
3	1.5		2070			
3	2.5		3220			
3	4		4665			
3	6		5900			
3	10		9060			



**POLYCAB INDIA LIMITED**

**LDC LP No. 01/2019-20 Dtd : 25th May 2019**

**POLYCAB INSTRUMENTATION CABLES**

**Str/Solid Cu PVC/XLPE Insulated Core/Pair/Triad/Quad laid up together with Al (Inner sheathed GI Steel Wire Mylar/Drain Wire)  
Round/Strip Armoured PVC Outer Sheathed Instrumentation**

**OVERALL SHIELDED - ARMOURED INSTRUMENTATION CABLES**

Type	No.	Size	Rate / mtr	Size	Rate / mtr	Size	Rate / mtr	Size	Rate / mtr	Size	Rate / mtr
CORE	2	0.5	82	0.75	94	1	103	1.5	123	2.5	166
CORE	3	0.5	94	0.75	109	1	124	1.5	155	2.5	211
CORE	4	0.5	108	0.75	127	1	149	1.5	187	2.5	261
CORE	5	0.5	120	0.75	145	1	171	1.5	218	2.5	309
CORE	6	0.5	136	0.75	164	1	196	1.5	251	2.5	361
CORE	7	0.5	144	0.75	177	1	213	1.5	275	2.5	399
CORE	8	0.5	162	0.75	199	1	239	1.5	312	2.5	451
CORE	10	0.5	189	0.75	235	1	287	1.5	375	2.5	551
CORE	12	0.5	210	0.75	264	1	325	1.5	431	2.5	619
CORE	14	0.5	232	0.75	297	1	365	1.5	490	2.5	716
CORE	16	0.5	256	0.75	330	1	411	1.5	551	2.5	803
CORE	19	0.5	290	0.75	375	1	469	1.5	634	2.5	936
CORE	24	0.5	351	0.75	460	1	559	1.5	770	2.5	1166
PAIR	1	0.5	81	0.75	92	1	100	1.5	121	2.5	164
PAIR	2	0.5	119	0.75	142	1	160	1.5	200	2.5	284
PAIR	3	0.5	142	0.75	173	1	201	1.5	258	2.5	374
PAIR	4	0.5	166	0.75	209	1	246	1.5	319	2.5	470
PAIR	5	0.5	193	0.75	245	1	291	1.5	383	2.5	560
PAIR	6	0.5	220	0.75	283	1	336	1.5	446	2.5	657
PAIR	7	0.5	239	0.75	309	1	372	1.5	498	2.5	743
PAIR	8	0.5	269	0.75	350	1	423	1.5	558	2.5	841
PAIR	10	0.5	321	0.75	410	1	502	1.5	676	2.5	1034
PAIR	12	0.5	361	0.75	474	1	584	1.5	791	2.5	1213
PAIR	14	0.5	390	0.75	533	1	660	1.5	906	2.5	1394
PAIR	16	0.5	443	0.75	598	1	744	1.5	1015	2.5	1581
PAIR	19	0.5	501	0.75	692	1	863	1.5	1184	2.5	1849
PAIR	24	0.5	625	0.75	864	1	1070	1.5	1486	2.5	2322
TRIAD	1	0.5	97	0.75	114	1	123	1.5	154	2.5	215
TRIAD	2	0.5	151	0.75	186	1	209	1.5	268	2.5	388
TRIAD	3	0.5	186	0.75	236	1	270	1.5	355	2.5	525
TRIAD	4	0.5	223	0.75	289	1	337	1.5	446	2.5	660
TRIAD	5	0.5	259	0.75	344	1	401	1.5	539	2.5	802
TRIAD	6	0.5	299	0.75	398	1	468	1.5	622	2.5	945
TRIAD	7	0.5	329	0.75	441	1	524	1.5	702	2.5	1074
TRIAD	8	0.5	370	0.75	485	1	587	1.5	797	2.5	1226
TRIAD	10	0.5	440	0.75	600	1	712	1.5	980	2.5	1511
TRIAD	12	0.5	500	0.75	690	1	833	1.5	1144	2.5	1788
TRIAD	14	0.5	568	0.75	788	1	955	1.5	1315	2.5	2060
TRIAD	16	0.5	630	0.75	880	1	1071	1.5	1488	2.5	2336
TRIAD	19	0.5	729	0.75	1021	1	1249	1.5	1740	2.5	2739
TRIAD	24	0.5	901	0.75	1277	1	1562	1.5	2191	2.5	3448
QUAD	1	0.5	108	0.75	130	1	147	1.5	186	2.5	265



POLYCAB INDIA LIMITED

LDC LP No. 01/2019-20 Dtd : 25th May 2019

POLYCAB INSTRUMENTATION CABLES

Str/Solid Cu PVC/XLPE Insulated Pair/Triad/Quad laid up together with Al Inner sheathed Mylar/Drain Wire PVC Inner Sheathed Unrmoured PVC Outer Sheathed Instrumentation Cable.

OVERALL SHIELDED - UNARMoured INSTRUMENTATION CABLES

Type	No.	Size	Rate / mtr	Size	Rate / mtr	Size	Rate / mtr	Size	Rate / mtr	Size	Rate / mtr
PAIR	1	0.5	47	0.75	57	1	68	1.5	80	2.5	112
PAIR	2	0.5	74	0.75	92	1	112	1.5	157	2.5	214
PAIR	3	0.5	97	0.75	123	1	157	1.5	203	2.5	304
PAIR	4	0.5	112	0.75	157	1	203	1.5	259	2.5	394
PAIR	5	0.5	147	0.75	192	1	283	1.5	314	2.5	486
PAIR	6	0.5	168	0.75	214	1	304	1.5	383	2.5	573
PAIR	7	0.5	181	0.75	247	1	314	1.5	426	2.5	663
PAIR	8	0.5	203	0.75	271	1	371	1.5	486	2.5	754
PAIR	10	0.5	247	0.75	350	1	450	1.5	608	2.5	945
PAIR	12	0.5	295	0.75	404	1	530	1.5	720	2.5	1113
PAIR	14	0.5	325	0.75	462	1	608	1.5	821	2.5	1282
PAIR	16	0.5	383	0.75	516	1	697	1.5	945	2.5	1461
PAIR	19	0.5	439	0.75	617	1	809	1.5	1102	2.5	1720
PAIR	24	0.5	541	0.75	764	1	1011	1.5	1384	2.5	2180
TRIAD	1	0.5	63	0.75	71	1	89	1.5	110	2.5	162
TRIAD	2	0.5	104	0.75	126	1	158	1.5	204	2.5	303
TRIAD	3	0.5	138	0.75	169	1	215	1.5	283	2.5	427
TRIAD	4	0.5	170	0.75	213	1	275	1.5	362	2.5	558
TRIAD	5	0.5	206	0.75	257	1	336	1.5	446	2.5	694
TRIAD	6	0.5	240	0.75	304	1	396	1.5	530	2.5	822
TRIAD	7	0.5	271	0.75	344	1	451	1.5	606	2.5	946
TRIAD	8	0.5	308	0.75	393	1	514	1.5	697	2.5	1078
TRIAD	10	0.5	377	0.75	484	1	643	1.5	863	2.5	1340
TRIAD	12	0.5	439	0.75	573	1	755	1.5	1020	2.5	1590
TRIAD	14	0.5	502	0.75	658	1	872	1.5	1178	2.5	1841
TRIAD	16	0.5	574	0.75	747	1	989	1.5	1340	2.5	2104
TRIAD	19	0.5	670	0.75	873	1	1160	1.5	1574	2.5	2481
TRIAD	24	0.5	837	0.75	1095	1	1455	1.5	1993	2.5	3123
QUAD	1	0.5	68	0.75	84	1	108	1.5	147	2.5	214

**POLYCAB INDIA LIMITED**

LDC LP No. 01/2019-20 Dtd : 25th May 2019

**POLYCAB INSTRUMENTATION CABLES**

Str/Solid Cu PVC/XLPE Insulated Pair/Triad laid up together with Al Mylar/Drain Wire Inner sheathed, GI Steel Wire Round/Strip Armoured PVC Outer Sheathed Instrumentation Cables

**INDIVIDUAL & OVERALL SHIELDED - ARMoured INSTRUMENTATION CABLES**

Type	No.	Size	Rate / mtr	Size	Rate / mtr	Size	Rate / mtr	Size	Rate / mtr	Size	Rate / mtr
PAIR	2	0.5	157	0.75	171	1	197	1.5	240	2.5	329
PAIR	3	0.5	193	0.75	216	1	251	1.5	311	2.5	436
PAIR	4	0.5	230	0.75	263	1	308	1.5	388	2.5	540
PAIR	5	0.5	269	0.75	310	1	367	1.5	451	2.5	651
PAIR	6	0.5	309	0.75	360	1	426	1.5	534	2.5	763
PAIR	7	0.5	340	0.75	398	1	474	1.5	599	2.5	863
PAIR	8	0.5	386	0.75	439	1	530	1.5	679	2.5	985
PAIR	10	0.5	456	0.75	537	1	647	1.5	831	2.5	1209
PAIR	12	0.5	518	0.75	616	1	747	1.5	971	2.5	1424
PAIR	14	0.5	591	0.75	702	1	854	1.5	1106	2.5	1636
PAIR	16	0.5	662	0.75	790	1	961	1.5	1248	2.5	1851
PAIR	19	0.5	757	0.75	908	1	1111	1.5	1456	2.5	2163
PAIR	24	0.5	945	0.75	1141	1	1395	1.5	1837	2.5	2721
TRIAD	2	0.5	184	0.75	214	1	241	1.5	301	2.5	413
TRIAD	3	0.5	230	0.75	273	1	315	1.5	400	2.5	565
TRIAD	4	0.5	281	0.75	338	1	391	1.5	490	2.5	719
TRIAD	5	0.5	330	0.75	401	1	469	1.5	598	2.5	882
TRIAD	6	0.5	382	0.75	456	1	539	1.5	701	2.5	1036
TRIAD	7	0.5	422	0.75	509	1	605	1.5	793	2.5	1177
TRIAD	8	0.5	471	0.75	584	1	686	1.5	906	2.5	1343
TRIAD	10	0.5	566	0.75	706	1	841	1.5	1112	2.5	1669
TRIAD	12	0.5	656	0.75	821	1	983	1.5	1298	2.5	1956
TRIAD	14	0.5	741	0.75	933	1	1127	1.5	1498	2.5	2253
TRIAD	16	0.5	832	0.75	1051	1	1264	1.5	1694	2.5	2556
TRIAD	19	0.5	964	0.75	1222	1	1484	1.5	1992	2.5	2995
TRIAD	24	0.5	1209	0.75	1538	1	1872	1.5	2489	2.5	3791



POLYCAP INDIA LIMITED

LDC LP No. 01/2019-20 Dtd : 25th May 2019

POLYCAP INSTRUMENTATION CABLES

Str/Solid Cu PVC/XLPE Insulated Pair/Triad laid up together with Al Mylar/Drain Wire Inner sheathed Unarmoured PVC Outer Sheathed Instrumentation Cable.

INDIVIDUAL & OVERALL SHIELDED - UNARMOURED INSTRUMENTATION CABLES

Type	No.	Size	Rate / mtr	Size	Rate / mtr	Size	Rate / mtr	Size	Rate / mtr	Size	Rate / mtr
PAIR	2	0.5	97	0.75	112	1	137	1.5	168	2.5	237
PAIR	3	0.5	123	0.75	157	1	192	1.5	237	2.5	339
PAIR	4	0.5	157	0.75	192	1	237	1.5	304	2.5	439
PAIR	5	0.5	192	0.75	237	1	295	1.5	371	2.5	541
PAIR	6	0.5	225	0.75	283	1	350	1.5	439	2.5	643
PAIR	7	0.5	259	0.75	314	1	394	1.5	495	2.5	732
PAIR	8	0.5	295	0.75	359	1	450	1.5	573	2.5	844
PAIR	10	0.5	359	0.75	450	1	562	1.5	709	2.5	1034
PAIR	12	0.5	417	0.75	530	1	652	1.5	830	2.5	1237
PAIR	14	0.5	495	0.75	608	1	764	1.5	966	2.5	1428
PAIR	16	0.5	552	0.75	687	1	855	1.5	1102	2.5	1629
PAIR	19	0.5	643	0.75	809	1	1011	1.5	1292	2.5	1924
PAIR	24	0.5	809	0.75	1011	1	1272	1.5	1629	2.5	2417
TRIAD	2	0.5	133	0.75	150	1	183	1.5	230	2.5	332
TRIAD	3	0.5	177	0.75	206	1	253	1.5	320	2.5	470
TRIAD	4	0.5	223	0.75	263	1	325	1.5	416	2.5	617
TRIAD	5	0.5	271	0.75	317	1	396	1.5	508	2.5	759
TRIAD	6	0.5	315	0.75	375	1	469	1.5	610	2.5	901
TRIAD	7	0.5	357	0.75	426	1	537	1.5	697	2.5	1036
TRIAD	8	0.5	406	0.75	493	1	617	1.5	796	2.5	1183
TRIAD	10	0.5	508	0.75	607	1	761	1.5	985	2.5	1479
TRIAD	12	0.5	595	0.75	713	1	898	1.5	1162	2.5	1754
TRIAD	14	0.5	684	0.75	821	1	1036	1.5	1345	2.5	2030
TRIAD	16	0.5	770	0.75	931	1	1176	1.5	1528	2.5	2308
TRIAD	19	0.5	901	0.75	1091	1	1383	1.5	1809	2.5	2701
TRIAD	24	0.5	1129	0.75	1380	1	1748	1.5	2274	2.5	3422



# POLYCAB INDIA LIMITED

LDC LP No. 01/2019-20 Dtd : 25th May 2019

## ANNEALED TINNED COPPER CONDUCTOR , EPR INSULATED, PCP OUTERSHEATHED ELASTOMERIC CABLE (Rate Per Mtr)

Cable Size in sq.mm	1 Core	2 Core	3 Core	4 Core	5 Core	6 Core	7 Core
4	98	245	318	403	561	653	723
6	147	362	474	620	791	896	999
10	229	571	753	965	1248	1420	1590
16	335	820	1104	1423	1849	2091	2358
25	493	1274	1707	2215	2766	3413	3704
35	663	1669	2291	2945	3773	4465	5048
50	926	2337	3191	4111	5211	6278	7108
70	1255	3107	4266	5537			
95	1641	4101	5679	7364			
120	2047	5109	7070	9196			
150	2536	6290	8735	11372			
185	3109	7678	10701	13962			
240	4005	9834	13737	17934			
300	4944	12191	17052	22271			
400	6520	15975	22422	29346			
500	8112						
630	10062						

## ANNEALED TINNED COPPER CONDUCTOR , EPR INSULATED, PCP OUTERSHEATHED ELASTOMERIC CABLE (Rate Per Mtr)

Number of Cores	1.5 Sq.mm.	2.5 Sq.mm.		Number of Cores	1.5 Sq.mm.	2.5 Sq.mm.
1	52	70		14	766	1062
2	136	185		16	855	1190
3	173	235		19	981	1377
4	214	295		20	1041	1501
5	278	385		24	1255	1805
6	333	461		25	1293	1861
7	363	509		27	1376	1986
8	417	655		30	1534	2254
10	577	812		36	1892	2648
12	659	934		37	1922	2697



# POLYCAB INDIA LIMITED

LDC LP No. 01/2019-20 Dtd : 25th May 2019

## ANNEALED TINNED COPPER CONDUCTOR , EPR INSULATED, CSP OUTERSHEATHED ELASTOMERIC CABLE (Rate Per Mtr)

Cable Size in sq.mm	1 Core	2 Core	3 Core	4 Core	5 Core	6 Core	7 Core
4	115	311	382	471	667	765	834
6	178	464	578	749	407	485	580
10	271	723	906	1140	858	989	1213
16	384	1007	1297	1642	1862	2183	2757
25	554	1558	1991	2529	3809	5107	6333
35	737	2002	2622	3310	7556	10845	13517
50	1019	2765	3614	4575	14204	20108	26230
70	1364	3612	4761	6087			
95	1769	4722	6292	8034			
120	2198	5851	7788	9988			
150	2711	7163	9576	12299			
185	3314	8710	11700	15074			
240	4240	11108	14963	19292			
300	5203	13733	18528	23901			
400	6835	17887	24236	31362			
500	8474						
630	10452						

## ANNEALED TINNED COPPER CONDUCTOR , EPR INSULATED, CSP OUTERSHEATHED ELASTOMERIC CABLE (Rate Per Mtr)

Number of Cores	1.5 Sq.mm.	2.5 Sq.mm.		Number of Cores	1.5 Sq.mm.	2.5 Sq.mm.
1	68	86		14	933	1246
2	184	243		16	1031	1385
3	222	292		19	1167	1582
4	269	358		20	1237	1745
5	341	454		24	1503	2080
6	402	537		25	1540	2137
7	432	585		27	1630	2268
8	493	786		30	1796	2603
10	717	981		36	2232	3024
12	804	1109		37	2262	3072



**POLYCAB INDIA LIMITED**

**LDC LP No. 01/2019-20 Dtd : 25th May 2019**

**POLYCAB BRAND JELLY FILLED TELEPHONE CABLES, SOLID ANNEALED COPPER, POLYTHENE INSULATED, PETROLEUM JELLY FILLED WITH POLY-AL LAMINATE MOISTURE BARRIER, POLYTHENE SHEATHED, UNARMoured POLYTHENE JACKETED TELEPHONE CABLES AS PER DOT/ POLYCAB SPECIFICATION**

**Rate/Mtr.**

<b>SIZE</b>	<b>5 PAIR</b>	<b>10 PAIR</b>	<b>20 PAIR</b>	<b>50 PAIR</b>	<b>100 PAIR</b>	<b>200 PAIR</b>
<b>0.5</b>	60	101	177	401	761	1491

**POLYCAB BRAND JELLY FILLED TELEPHONE CABLES, SOLID ANNEALED COPPER, POLYTHENE INSULATED, PETROLEUM JELLY FILLED WITH POLY-AL LAMINATE MOISTURE BARRIER, POLYTHENE SHEATHED,G.S.TAPE ARMoured POLYTHENE JACKETED TELEPHONE CABLES AS PER DOT/ POLYCAB SPECIFICATION**

**Rate/Mtr.**

<b>SIZE</b>	<b>5 PAIR</b>	<b>10 PAIR</b>	<b>20 PAIR</b>	<b>50 PAIR</b>	<b>100 PAIR</b>	<b>200 PAIR</b>
<b>0.5</b>	108	160	244	495	882	1656

**POLYCAB INDIA LIMITED**

LDC LP No. 01/2019-20 Dtd : 25th May 2019

**POLYCAB RS 485 CABLES (Armoured)**500 V, Str. Cu/ Polyethylene Ins/ Pairs Overall shielded with Al-mylar tape along with 0.5 mm<sup>2</sup> ATC Drain Wire & Tinned Annealed copper wire braid (80% Coverage) / Extr. PVC ST1/ Armoured/ PVC ST1 sheathed Cable

Pairs	Size in Guage	Size in Sq.mm.	Rate/Mtr.
1 Pair	17 AWG	1.04	151
	18 AWG	0.82	143
	20 AWG	0.52	122
	22 AWG	0.33	117
	24 AWG	0.20	109
2 Pair	17 AWG	1.04	241
	18 AWG	0.82	228
	20 AWG	0.52	184
	22 AWG	0.33	172
	24 AWG	0.20	160

**POLYCAB RS 485 CABLES (Un Armoured)**500 V, Str. Cu/ Polyethylene Ins/ Pairs Overall shielded with Al-mylar tape along with 0.5 mm<sup>2</sup> ATC Drain Wire & Tinned Annealed copper wire braid (80% Coverage) / UnArmoured/ PVC ST1 sheathed Cable

Size	Size in Guage	Size in Sq.mm.	Rate/Mtr.
1 Pair	17 AWG	1.04	97
	18 AWG	0.82	90
	20 AWG	0.52	71
	22 AWG	0.33	66
	24 AWG	0.20	60
2 Pair	17 AWG	1.04	166
	18 AWG	0.82	152
	20 AWG	0.52	116
	22 AWG	0.33	105
	24 AWG	0.20	92

**POLYCAB INDIA LIMITED**

LDC LP No. 01/2019-20 Dtd : 25th May 2019

**POLYCAB RS 485 CABLES (Armoured)**500 V, Str. Cu/ Polyethylene Ins/ Pairs Overall shielded with Al-mylar tape along with 0.5 mm<sup>2</sup> ATC Drain Wire & Tinned Annealed copper wire braid (80% Coverage) / LSZH Extr. PVC ST1/ Armoured/ LSZH sheathed Cable

Pairs	Size in Gauge	Size in Sq.mm.	Rate/Mtr.
1 Pair	17 AWG	1.04	169
	18 AWG	0.82	163
	20 AWG	0.52	141
	22 AWG	0.33	136
	24 AWG	0.20	128
2 Pair	17 AWG	1.04	268
	18 AWG	0.82	253
	20 AWG	0.52	208
	22 AWG	0.33	197
	24 AWG	0.20	183

**POLYCAB RS 485 CABLES (Un Armoured)**500 V, Str. Cu/ Polyethylene Ins/ Pairs Overall shielded with Al-mylar tape along with 0.5 mm<sup>2</sup> ATC Drain Wire & Tinned Annealed copper wire braid (80% Coverage) / UnArmoured/ LSZH sheathed Cable

Size	Size in Gauge	Size in Sq.mm.	Rate/Mtr.
1 Pair	17 AWG	1.04	107
	18 AWG	0.82	99
	20 AWG	0.52	81
	22 AWG	0.33	75
	24 AWG	0.20	69
2 Pair	17 AWG	1.04	183
	18 AWG	0.82	168
	20 AWG	0.52	131
	22 AWG	0.33	120
	24 AWG	0.20	105



**Fire Survival Cables**

**Stranded Annealed Bare Copper Conductor /950° Mica Tape Wrapped/Xlpe Insulation/Cores Laid up together/Fibre Glass Tape Wrapped/FRLS Inner Sheathed/GI Wire Strip Armoured/ FRLS Outersheathed  
Fire Survival Cables**

Rate/Mtr.				
Size in Sq.mm.	2 Cores	3 Cores	3.5 Cores	4 Cores
1.5	217	271		330
2.5	271	346		427
4	318	417		522
6	412	552		698
10	583	797		1019
16	773	1079		1420
25	1102	1588	1912	2086
35	1466	2127	2459	2808
50	1933	2825	3313	3740
70	2686	3946	4617	5226
95	3531	5198	6072	6889
120	4393	6495	7739	8625
150	5379	7965	9203	10569
185	6645	9850	11531	13067
240	8449	12550	14667	16665
300	10467	15551	18148	20670
400	13626	20271	23494	26946



**Fire Survival Cables**

**Stranded Annealed Bare Copper Conductor /950° Mica Tape Wrapped/Xlpe Insulation/Cores Laid up together/Fibre Glass Tape Wrapped/Zero Halogen Inner Sheathed/GI Wire Strip Armoured/ Zero Halogen Outsheathed Fire Survival Cables**

Rate/Mtr.				
Size in Sq.mm.	2 Cores	3 Cores	3.5 Cores	4 Cores
1.5	243	298		361
2.5	298	375		459
4	347	446		555
6	442	584		734
10	618	833		1060
16	806	1114		1465
25	1144	1633	1962	2138
35	1511	2177	2514	2866
50	1983	2881	3374	3810
70	2748	4018	4695	5310
95	3601	5275	6157	6982
120	4467	6580	7842	8735
150	5468	8069	9319	10699
185	6745	9973	11670	13219
240	8570	12699	14834	16849
300	10609	15724	18342	20891
400	13804	20492	23742	27218



**Fire Survival Cables**

**Stranded Annealed Bare Copper Conductor /950° Mica Tape Wrapped/Cross Linkable Zero Halogen Insulation/Cores Laid up together/Fibre Glass Tape Wrapped/Zero Halogen Inner Sheathed/GI Wire Strip Armoured/ Zero Halogen Outersheathed Fire Survival Cables**

Rate/Mtr.				
Size in Sq.mm.	2 Cores	3 Cores	3.5 Cores	4 Cores
1.5	252	312		377
2.5	308	390		479
4	357	462		575
6	454	602		757
10	631	854		1087
16	822	1139		1498
25	1170	1673	2009	2191
35	1541	2221	2566	2925
50	2021	2938	3444	3886
70	2797	4092	4784	5409
95	3655	5357	6258	7091
120	4534	6680	7966	8869
150	5554	8198	9473	10872
185	6856	10139	11862	13438
240	8701	12898	15067	17114
300	10765	15957	18619	21203
400	13999	20784	24091	27608



# POLYCAB INDIA LIMITED

LDC LP No. 01/2019-20 Dtd : 25th May 2019

## FESTOON CABLES

(Rate/Mtr.)

Cores	0.5	0.75	1	1.5	2.5	4	6	10	16	25	35
3	40	54	65	89	135	214	313	522	813	1289	1774
4	52	71	86	120	178	285	420	697	1086	1717	2363
5	68	92	113	154	230	369					
6	81	113	135	183	277	442					
7	93	130	155	213	321	514					
8	109	146	177	246	370	591					
9	124	172	206	281	426	672					
10	138	190	228	310	470	750					
12	164	225	271	371	561	895					
14	197	265	318	439	659	1051					
16	223	307	368	500	755	1204					
18	245	338	411	562	838	1339					
24	335	458	557	757	1128	1809					

**POLYCAB INDIA LIMITED**

LDC LP No. 01/2019-20 Dtd : 25th May 2019

**UNINYVIN CABLES****Multistranded Annealed Tinned Copper Conductor 105° C PVC Insulation with Nylon Braiding with Lacquer Coating Uninyvin Cables**

Cable Size	Nom. Conductor Area (Sq.mm.)	Rate Per Mtr.
22	0.347	34
20	0.556	37
18	0.966	40
16	1.17	49
14	2.05	58
12	3.22	67
10	5.33	106
8	8.76	168
6	13.30	255
4	21.50	374
2	33.30	586
1	40.70	712
0	53.00	892
00	68.30	1144
000	84.20	1406
0000	109	1809

**POLYCAB INDIA LIMITED**

LDC LP No. 01/2019-20 Dtd : 25th May 2019

**UNI-TUBE / MULTI-TUBE UN-ARMoured OPTICAL FIBRE CABLES**

<b>Cable Type</b>	<b>Fiber Type</b>	<b>Rate. Per Km.</b>
2F MM-OM1 UNITUBE UNARMoured OFC WITH 2 FRP 6.0MM	Multimode	34241
4F MM-OM1 UNITUBE UNARMoured OFC WITH 2 FRP 6.0MM	Multimode	51253
6F MM-OM1 UNITUBE UNARMoured OFC WITH 2 FRP 6.0MM	Multimode	68288
12F MM-OM1 UNITUBE UNARMoured OFC WITH 2 FRP 6.5MM	Multimode	121439
24F MM-OM1 UNITUBE UNARMoured OFC WITH 2 FRP 7.0MM	Multimode	224255
24F MM-OM1 MULTITUBE UNARMoured OFC 9.8MM	Multimode	243855

**UNI-TUBE / MULTI-TUBE ARMoured OPTICAL FIBRE CABLES**

<b>Cable Type</b>	<b>Fiber Type</b>	<b>Rate. Per Km.</b>
2F MM-OM1 UNITUBE ARMoured OFC WITH 2 SW 8.0MM	Multimode	48716
4F MM-OM1 UNITUBE ARMoured OFC WITH 2 SW 8.0MM	Multimode	65766
6F MM-OM1 UNITUBE ARMoured OFC WITH 2 SW 8.0MM	Multimode	82815
12F MM-OM1 UNITUBE ARMoured OFC WITH 2 SW 8.0MM	Multimode	133964
24F MM-OM1 UNITUBE ARMoured OFC WITH 2 SW 8.5MM	Multimode	235882
24F MM-OM1 MULTITUBE ARMoured OFC 10.5MM	Multimode	253311



**POLYCAB INDIA LIMITED**

LDC LP No. 01/2019-20 Dtd : 25th May 2019

**FS Aluminium Power Cables**

Polycab Make Stranded Sector Aluminium Conductor/Wrapped with Mica Tape/Xlpe Insulation/Wrapped with Fibre Tape Barrier/FRLS Inner Sheathed/GI Wire Armoured/FRLS Sheathed FS Aluminium Power Cables

(Rate/Mtr.)

Sq.mm.	3 Core	4 Core
16	424	548
25	571	728
35	691	892
50	855	1109
70	1169	1521
95	1461	1901
120	1746	2288
150	2077	2721
185	2517	3288
240	3133	4097
300	3770	4949
400	4692	6146

• The above rates are exclusive of GST which shall be charged extra.